

Nome **finestra a 1 anta**
 Trasmittanza (Uw) **1.2869 W/m²K**



Calcoli eseguiti in conformità con UNI EN ISO 10077-1:2012



finestra a 1 anta

Larghezza 700.00 mm
 Altezza 1500.00 mm
 Area totale 1.0500 m²
 U*A totale 1.2458 W/K
 ψ*L totale 0.1055 W/K
 Trasmittanza (Uw) **1.2869 W/m²K**

# Nodo	U [W/m ² K]	B [mm]	ψ [W/mK]
1 Nodo superiore	1.4360	107.50	0.0300
2 Nodo inferiore	1.5390	119.00	0.0300
3 Nodo sinistro	1.4360	107.50	0.0300
4 Nodo destro	1.4360	107.50	0.0300

Nome	U [W/m ² K]	Larghezza [mm]	Altezza [mm]	A [m ²]	U*A [W/K]	Col.
#1	1.4360	700.00	107.50	0.06369	0.0915	
#2	1.5390	700.00	119.00	0.07051	0.1085	
#3	1.4360	107.50	1500.00	0.14908	0.2141	
#4	1.4360	107.50	1500.00	0.14908	0.2141	
#A1	1.0000	485.00	1273.50	0.61765	0.6176	
vetrocam						